

TROCARS

807-14	5/16"	OD x 16"	WL	Pistol Grip
811-16	3/8"	OD x 16"	WL	Pistol Grip
812	5/16"	OD x 13"	WL	Trade Embalmer Trocar Collapsed Length 15"
816-14	3/8"	OD x 14"	WL	Straight Line Trocar
816-16	3/8"	OD x 16"	WL	Straight Line Trocar
816-18	3/8"	OD x 18"	WL	Straight Line Trocar
816-20	3/8"	OD x 20"	WL	Straight Line Trocar
816-22	3/8"	OD x 22"	WL	Straight Line Trocar
817-14	5/16"	OD x 14"	WL	Straight Line Trocar
817-16	5/16"	OD x 16"	WL	Straight Line Trocar
817-18	5/16"	OD x 18"	WL	Straight Line Trocar
817-20	5/16"	OD x 20"	WL	Straight Line Trocar
817-22	5/16"	OD x 22"	WL	Straight Line Trocar
819-7	3/16"	OD x 7"	WL	Infant Trocar with Clean Rod
819-12	3/16"	OD x 12"	WL	Infant Trocar with Clean Rod
819-16	3/16"	OD x 16"	WL	Infant Trocar
819-18	3/16"	OD x 18"	WL	Infant Trocar
820-16	1/8"	OD x 16"	WL	Infant Trocar
820-18	1/8"	OD x 18"	WL	Infant Trocar
825-16	3/16"	OD x 16"	WL	Hypo Valve Trocar
825-18	3/16"	OD x 18"	WL	Hypo Valve Trocar
826-16	1/8"	OD x 16"	WL	Hypo Valve Trocar
826-18	1/8"	OD x 18"	WL	Hypo Valve Trocar
827-16		16"	WL	Trocar Complete with both diameter barrels
828-18		18"	WL	Trocar Complete with both diameter barrels
829	3/8"	OD x 16"	WL	Dynamic Sight Glass Trocar
830	3/8"	OD x 19"	WL	Dynamic Sight Glass Trocar
831	3/8"			2-piece point complete
832				6-pack piercing point for #831
834	5/16"	OD x 16"	WL	Dynamic Sight Glass Trocar
835	5/16"	OD x 19"	WL	Dynamic Sight Glass Trocar
836	5/16"			2-piece point complete
837				6-pack piercing point for #836
840	3/8"	OD x 16"	WL	Dynamic Trocar without sight glass
841	3/8"	OD x 19"	WL	Dynamic Trocar without sight glass
843	5/16"	OD x 16"	WL	Dynamic Trocar without sight glass
844	5/16"	OD x 19"	WL	Dynamic Trocar without sight glass
845-(Set)				Both 845-14 & 845-16 Barrels and one handle
845-14	5/16"	OD x 14"	WL	
845-16	3/8"	OD x 16"	WL	

TROCAR POINTS

800	3/8"	OD	For Straight Line Trocars #816-811 (845-16)
801	5/16"	OD	For Straight Line Trocars #817-807 (845-16)
803	3/16"	OD	For #819-825 Trocars
804	3/16"	OD	For #819-825 Trocars (Round)
805	1/8"	OD	For #820-826 Trocars (Round)
831	3/8"		Point Complete (829, 830, 840, and 841)
832			Pack of (6) Piercing point for #831
836	5/16"	OD	Point Complete (834, 835, 843, 844)
837			Pack of (6) Piercing point for #836

NO. 825,826

NO. 825-16

NO. 825-18

NO. 826-16

NO. 826-18

NO. 800 801

NO. 831

NO. 836

803

804

805

3/8

5/16

3/16

1/8

NO. 820-16

NO. 820-18

NO. 819-7

NO. 819-12

NO. 819-16

NO. 819-18

NO. 816 3/8 O.D 14",16",18",20",22", W.L.

NO. 817 5/16 O.D 14",16",18",20",22", W.L.

NO. 829,830,834,835

NO. 840,841,843,844

NO. 845-16 3/8 O.D.

NO. 845-14 5/16 O.D.

NO. 807-14,811-16

NO. 812

NO. 812

SLAUGHTER AXILLARY AND JUGULAR SUPER DRAIN TUBES

The Slaughter Drain Tubes listed below are the finest drain tubes obtainable. They are made of precision brass tube in hard temper with a full chrome plate. Their general construction has made them universally accepted by the trade. For years they have retained their Free Bore, Relief Chamber, Eccentric Probe Point Piston, Metallic Seal and Articulated Pistons. The true gland cap packing chamber functions independently of the tube cap. Only the tube cap is removed to present plunger and tube for cleansing. Packed with long fiber asbestos saturated with flake graphite, which is ideal for sealing as well as lubricating. Relief chamber prevents back pressure when pistons are in rear position. Eccentric Probe Point makes for ease of insertion as well as increased clot breaking capacity. Their closely fitted pistons provide a much needed suction by simple piston movement back and forth.

299	Axillary	3/8" OD - Approx. 9" WL
300	Axillary	5/16" OD - Approx. 9" WL
301	Axillary	1/4" OD - Approx. 9" WL
302	Axillary	3/16" OD - Approx. 9" WL
303	Set of any three	
304	Set of all four	
306	Juglar	3/8" OD - Approx. 7" WL
305	Juglar	5/16" OD - Approx. 6" WL
307	Juglar	1/4" OD - Approx. 6" WL
308	Juglar	3/16" OD - Approx. 5" WL
309	Juglar set of any three	
310	Juglar set of all four	

Curved Drain Tubes

355	1/4" OD
356	3/16" OD
358	Set of two

SLAUGHTER SUPREME JUGULAR TUBES

Greater clot capacity. Full taper eccentric probe for ease of insertion. Short rear gland construction so as to add barrel length. Straight only.

312-A	7/16" OD - Approx. 6 3/4" WL
312-B	3/8" OD - Approx. 6 3/4" WL
312-C	5/16" OD - Approx. 6 3/4" WL
312-D	1/4" OD - Approx. 6 3/4" WL
311	Set of any three
312	Set of all four

SLAUGHTER ILIAC TUBES

Slaughter Iliac Drain Tubes are designed on the large bore principle so necessary to the success of femoral drainage. We have refrained from producing a flexible drain tube because the small bore afforded, due to the necessary heavy wall plastic, lowers the efficiency to a point inconsistent with the principle involved. The general type of construction is the same as that of our high grade universally accepted Super Drain Tubes.

5006	5/16" OD x 20" WL
5007	3/8" OD x 20" WL
5008	5/16" OD x 14" WL
5009	3/8" OD x 14" WL

NO. 5007

NO. 5006

NO. 356

NO. 355

NO. 312-D

NO. 312-C

NO. 312-B

NO. 312-A

NO. 308

NO. 307

NO. 305


NO. 306

NO. 302

NO. 301

NO. 300

NO. 299



*100 Carotid Injection set-complete
with carotid tubes, stopcocks,
and tubing

101 5/16" OD Slp for #6 tubing-
Approx. 3 1/2" WL Carotid Tube

102 1/4" OD Slp for #6 tubing-
Approx. 3 1/2" WL Carotid Tube

103 1/4" OD Thd Carotid Tube

104 5/16" OD Thd Carotid Tube

408 Adult Nasal Tube-spherical tip
with end & side vents 10" long

408 Infant Nasal Tube-spherical tip
with end & side vents 7 1/2" long

709 Adult aorta post mortem injector

710 Infant aorta post mortem injector

900 Arterial Set (901-902-903)

901 3/16" OD Slp-Approx. 4" WL

902 1/8" OD Slp-Approx. 4" WL

903 3/32" OD Slp-Approx. 4" WL

900-C Set (901-C, 902-C, 903-C)

901-C 3/16" OD Slp-Approx. 4" WL

902-C 1/8" OD Slp-Approx. 4" WL

903-C 3/32" OD Slp-Approx. 4" WL

904 Set (905-906-907)

904TL Adapts female thread to male
luer adapter

905 3/16" OD Threaded straight
4 3/4" WL

906 1/8" OD Threaded Straight
4 3/4" WL

907 3/32" OD Threaded Straight
4 3/4" WL

904-C Set (905-C, 906-C, 907-C)

905-C 3/16" OD Threaded Curve
4" WL

906-C 1/8" OD Threaded Curve
4" WL

907-C 3/32" OD Threaded Curve
4" WL

923 Infant Probe Pt. Slp .065 OD
2 1/2" WL

924 Infant Probe Pt. Thd .065 OD
2 1/2" WL.

925 Infant open end Slp .065 OD
2 1/2" WL

926 Infant open end Thd .065 OD
2 1/2" WL

926-S 3/32" OD Approx. 8" WL
An injecting tube of small diameter
and extra length. Useful in sclerotic
cases and where the operator encounters
obstructions in the blood vessels.
It delivers fluid into the larger
portion of the blood vessel thereby
facilitating the injection.

927 Radial injector Curved Threaded
.065 OD, 2" WL

928 Radial injector Curved Slp
.065 OD, 2" WL

930 1/4" OD, 2" WL Carotid Slp

930-T 1/4" OD, 2" WL Carotid Thd

931 5/16" OD, 2" WL Carotid Slp

931-T 5/16" OD, 2" WL Carotid Thd

933 3/16" OD, 2" WL Carotid Thd or Slp

934 1/8" OD, 2" WL Carotid Thd or Slp

935 3/32" OD, 1 1/2" WL Carotid Thd or Slp

940 Set of three (933-934-935)

Slaughter "Hairpin" Injectors

Ideal for injection work as "return
curve" helps prevent dislocation of
tube and interference with drainage
operation. The longer and wider
curved tubes (Series "L") are for
femoral artery or heavy neck carotid
work. The short and smaller curved
tubes (Series "S") are for usual
carotid and shallow incisions.

945-L or 945-S 5/16" OD

946-L or 946-S 1/4" OD

947-L or 947-S 3/16" OD

948-L or 948-S 1/8" OD

949 Set (945, 946, 947, 948)

960 Luer Lok 1/4" OD, 2" WL

961 Luer Lok 3/16" OD, 2" WL

962 Luer Lok 1/8" OD, 2" WL

963 Luer Lok 3/32" OD, 2" WL

964 Set (960, 961, 962, 963)

1045 Needle injector 1/8" OD x 9" WL
Hose Mount

1046 Needle injector 1/8" OD x 9" WL
Thread Mount

**All tubes are of brass and are fully chrome plated

*Thd - Threaded Hub

*Slp - Slip Hub

* C - Curved Barrel

* St - Straight Barrel

*#100 Consists of 1-609 with twin stopcocks, 2-#102 Carotid tubes and 2-18" lengths
of #6 gum tubing.

930 SERIES -T (threaded), -S (SLIP)

NO. 960

NO. 931-T

NO. 931 -S

NO. 961

NO. 930-T

NO. 930

NO. 962

NO. 933

NO. 933

NO. 963

NO. 934

NO. 934

NO. 935

NO. 935

NO. 960-STUB

NO. 102

NO. 104

NO. 961-STUB

NO. 101

NO. 103

NO. 962-STUB

NO. 901-C

NO. 905-C

NO. 963-STUB

NO. 902-C

NO. 906-C

NO. 903-C

NO. 907-C

NO. 901

NO. 905

NO. 902

NO. 906

NO. 903

NO. 907

NO. 1045-NEEDLE INJECTOR

NO. 1046-NEEDLE INJECTOR

NO. 926-S

NO. 945-L

NO. 924

NO. 923

NO. 925

NO. 946-L

NO. 947-L

NO. 926

NO. 948-L

NO. 927

NO. 945-S

NO. 928

NO. 946-S

NO. 947-S

NO. 408 NASAL INFANT

NO. 408 NASAL ADULT

70 Stopcock--Full size hose mount with deep neck to prevent slippage of tubing, opposite end has standard (12-32) female thread for arterial tubes

70TLA Adapter-12-32 Thread to female leur lock

70-L #70 Stopcock with 70TLA attached

100 Not shown--"Y" Carotid injection set complete with 609 Y-2 stopcocks, 2 carotid tubes and 2-18" rubber tubing

555 SLAUGHTER THREAD PASSER--The thread passer provides an efficient method of passing thread under any vessel for ligating. Pass the "Threader" under the vessel, grasp the loose end of thread, withdraw the passer to desired length of thread and cut off with built-in shearing blade. New spool is easily replaced on stud inside friction cap. The threading snare provided is merely pushed down the feed tube from the operating end and the thread placed in the snare loop and then withdrawn. Blade easily replaced if needed. Comes with snare, extra blade and two spools of thread.

Extra blades may be ordered 6 to a package

Extra thread may be ordered 6, 12, or 24 to a package

607Y Y with slip hubs only

608Y Y with threaded mounts only

609Y Y complete with stopcocks

610 Four way Y only--Threaded hubs

611 Four way Y only--Slip hubs

701 Adapter--converts stopcock to double hose mount

855 SLAUGHTER CAVITY INJECTOR--Our cavity injector is for use in conjunction with the standard fluid bottles. Thumb should be placed over air vent before raising bottle to desired height. Injection is controlled by releasing the thumb. The U shaped air tube prevents usual breakage at this point. Our new type will not leak fluid. Full machined body and chrome plated. Cavity injectors come in 3", 5", and 7" lengths.

INSTANT CONTROL HYPO NEEDLE TROCARS--These control units give ease of insertion and the ability to use any standard hypodermic needle gives a wide range of selection in needle length and diameter. Operator control with pressure set previously at machine. Comes as a unit with one four-inch needle.

871 Thumb control valve with 4" needle

872 Stopcock control valve with 4" needle

873 Constant flow unit with 4" needle

Other length needle available upon request.

871-A Adapts hypo valve to arterial thread for 70TLA

871-Hose Mt. Use mount adapter for hypo valve

872-A Female 12-32 Arterial thread one end, opposite end 12-32 male

873-A Female 12-32 Arterial thread one end, opposite end hose mount

904-TL Adapter--Male leur lock one end, 12-32 arterial female thread opposite end

1003 SLAUGHTER WATER SERVICE--Table water service is made of nonferrous metal to eliminate rust and provide for a fine chrome finish. Rubber buffers prevent table marring. Functions perfectly for general irrigating of entire table because of its 45 degree ports. or at any position along the trough because its added weight provides for stability at the required position. Equipped with an axillary appliance to irrigate incisions and for hair or post work.

1020 Slaughter table cleanser for those who use the rubber head blocks. Adjustable to fit all sides of head block. Cannot become displaced.

1020-WC Cleanser with water control valve--same as 1020, but with water diverting valve to separate hose mount providing water service at head of table

NO. 855-7"

NO. 855-5"

NO. 855-3"

NO. 1020

NO. 610 & 4-70'S

NO. 609-Y

NO. 611

NO. 608-Y

NO. 607-Y

NO. 555

NO. 1003

NO. 871

NO. 872

NO. 70

NO. 873

NO. 871 A

NO. 70-TLA

NO. 70-L

NO. 701


NO. 873 A

NO. 904-TL

NO. 871 A S

NO. 872 A

NO. 555 THREAD



SLAUGHTER BONE SEPARATOR

- 60 Slaughter Bone Separator--A general purpose full polished bone separator for use in many applications. Six inches long.


SLAUGHTER FORCEPS

- 500 Standard $5\frac{1}{2}$ " Gathering Forcep--stainless steel forcep for the gathering of tissue to promote ease of suturing. Ball stops retard depth of tissue penetration.
 501 $6\frac{1}{4}$ " needle holder--chrome, box lock. Also used as a short nose artery clamp, no loose joints.
 503 10" Dressing Forcep--heavy serrations, box lock, multiple ratchet
 504 $6\frac{1}{4}$ " Hemostat--long nose, full serrated, box lock, no loose joints, chrome
 504-8 Same as 504 with length of 8"
 505 Curved Arterial Forcep
 506 Arterial Forcep Straight-Light


SLAUGHTER SHEARS--ALL THE SHEARS SHOWN ARE TOP QUALITY HOT HAMMER-FORGED FROM SPECIAL CUTLERY STEEL TO SECURE DURABILITY AND QUALITY

- 1108 $5\frac{1}{2}$ " Mayo Curved
 1109 $5\frac{1}{2}$ " Mayo Straight
 1110 $5\frac{1}{2}$ " Double Blunt
 1111 $5\frac{1}{2}$ " Sharp and Blunt
 1112 $5\frac{1}{2}$ " Double Sharp
 1115 $5\frac{1}{2}$ " Bandage
 1185 Barber Shears
 1188 Heavy duty rib shear--stainless steel
 1190 Nail Shears
 1192 Curved Shears
 1194 Straight Shears
 1195 Cuticle Shears
 1200 Cloth Shears--a 10" heavy duty shear with 5" cut. Special tension screw adjustment


PURE GUM TUBING



CLEAR TUBING



- #3 Trocar Tubing $5/16$ " ID $5/32$ " Wall
 #4 Drain Tubing $5/16$ " ID $3/32$ " Wall
 #6 Injecting Tubing $1/4$ " ID $3/32$ " Wall
 #7 Air Line Tubing $3/16$ " ID $3/32$ " Wall
 #8 Splash Tubing-Clear $3/4$ " ID $1/8$ " Wall



SCALPEL HANDLES

- 3 Scalpel Handle--general operating for small blades No. 115, 112, 111, & 110.
Blades for #3 Scalpel Handle in 6 packs only--No. 110, 111, 112, & 115.
- 4 Scalpel Handle--general operating for large blades No. 120, 121, 122, & 123
Blades for #4 Scalpel Handle in 6 packs only--No. 120, 121, 122, & 123

SUTURE NEEDLE SETS--SLAUGHTER SURGICAL NEEDLES ARE MADE OF STAINLESS STEEL


- 9 consists of one each 1-0, 2-0, 3-0, 4-0, 5-0, 6-0, 7-0
 - 10 consists of one each 1, 2, 3, 4, 5, 6, 7.
 - 11 consists of one each 1-1, 2-1, 3-1, 4-1, 5-1, 6-1, 7-1.
- For single needles order by numbers shown

- 18 Observation tube--When inserted in trocar line, allows operator to observe contents and movement of fluids.
 - 38 10cc Glass Hypodermic--with needles (3 assorted) and Luer Lock
 - 39 20cc Glass Hypodermic--with needles (3 assorted) and Luer Lock
- Order Single Hypodermic needles by length and gauge

- 109 Needle Holder--The Slaughter needle holder is a very useful unit for keeping needles readily available and in good condition. Stainless Steel spring receives any size needle. Weighted to remain upright on table.
- 512 Curved artery clamp--self closing spring type, fine serrations, chrome
- 513 Straight artery clamp with features of 512
- 514 Grooved Director--chrome

DRESSING FORCEPS--THESE DRESSING FORCEPS ARE FULL CHROME PLATED, HEAVY SERRATED HIGH CARBON SPRING STEEL.

- 600 6"
- 600 8"
- 600 10"
- 600 12"
- 601 Foil Forceps--A very fine curved and accurately indexed forcep for exacting work.
- 602 3" Vein forcep
- 603 7" Vein Forcep
- 604 Eye lid forcep
- 605 Straight fine point forcep--A good general use forcep for light work



LEFT TO RIGHT & DOWN 1-0,1,1-1
THROUGH
7-0,7,7-1

